ELSEVIER

Neuroscience Letters 368 (2004) 349–353

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 368

Abe, T., see Imbe, H., 102
Abelson, K.S.P., Kommalage, M., Höglund, A.U., Spinal cholinergic involvement after treatment with aspirin and paracetamol in rats, 116
Acosta, G.B., see Blake, M.G., 211
Alecce, W., see Palma, E., 112
Amantea, D., see Bagetta, G., 87
Annesi, F., see Annesi, G., 21
Annesi, G., Nicoletti, G., Tarantino, P., Cutuli, N., Annesi, F., Marco, E.V.D., Zappia, M., Morgante, L., Arabia, G., Pugliese, P., Condino, F., Carrideo, S., Civitelli, D., Caracciolo, M., Romeo, N., Spadafora, P., Candiano, I.C., Quattrone, A., FRAXE intermediate alleles are associated with Parkinson's disease, 21
Anokhin, A.P., Heath, A.C., Myers, E., Genetics, prefrontal cortex, and cognitive control: a twin study of event-related brain potentials in a response inhibition task, 314
Arabia, G., see Annesi, G., 21
Arai, M., see Kockelkorn, T.T.J.P., 41
Ariyasinghe, S., see Inoue, M., 192
Astikainen, P., Ruusuvirta, T., Wikgren, J., Korhonen, T., The human brain processes visual changes that are not cued by attended auditory stimulation, 231
Azcoitia, I., see Yague, J.G., 279

Back, S.K., Won, S.Y., Hong, S.K., Na, H.S., Gabapentin relieves mechanical, warm and cold allodynia in a rat model of peripheral neuropathy, 341
Bagetta, G., Chiappetta, O., Amantea, D., Iannone, M., Rotiroti, D., Costa, A., Nappi, G., Corasaniti, M.T., Estradiol reduces cytochrome *c* translocation and minimizes hippocampal damage caused by transient global ischemia in rat, 87
Bain, M.J., Dwyer, S.M., Rusak, B., Restraint stress affects hippocampal cell proliferation differently in rats and mice, 7
Balazs, Z., see Sovic, A., 11
Baratti, C.M., see Blake, M.G., 211
Bartkowska, K., see Olkowicz, S., 205
Basta, D., Ernest, A., Noise-induced changes of neuronal spontaneous activity in mice inferior colliculus brain slices, 297
Battastini, A.M.O., see Wilot, L.C., 167
Beetz, C., see Patt, S., 249
Benedetti, F., Serretti, A., Colombo, C., Lorenzi, C., Tubazio, V., Smeraldi, E., A glycogen synthase kinase 3-β promoter gene single nucleotide polymorphism is associated with age at onset and response to total sleep deprivation in bipolar depression, 123
Bergmann, K.v., see Klsch, H., 303
Bilgin, F., see Dorul, A., 82
Blake, M.G., Boccia, M.M., Acosta, G.B., Baratti, C.M., Posttraining administration of pentylenetetrazol dissociates gabapentin effects on memory consolidation from that on memory retrieval process in mice, 211
Blum, D., Hemming, F.J., Galas, M.-C., Torch, S., Cuvelier, L., Schiffmann, S.N., Sadoul, R., Increased Alix (apoptosis-linked gene-2 interacting protein X) immunoreactivity in the degenerating striatum of rats chronically treated by 3-nitropropionic acid, 309
Bo, T., see Ni, H., 254
Boccia, M.M., see Blake, M.G., 211
Bonan, C.D., see Wilot, L.C., 167
Bonnefoi, F., see Thobois, S., 46
Brodin, E., see Warsame Afrah, A., 226
Broussolle, E., see Thobois, S., 46
Brown, B.R., see Kharlamov, A., 151
Butterfield, D.A., see Mohmmad Abdul, H., 148

Callaway, C.W., see Schmidt, K.M., 135
Candiano, I.C., see Annesi, G., 21
Caracciolo, M., see Annesi, G., 21
Carretero, J., see Yague, J.G., 279
Carrideo, S., see Annesi, G., 21
Carson, R., see Craig, D., 33
Chan, Y., see Li, C., 25
Chang, T.-K., see Fu, W.-M., 263
Chen, H., Honse, Y., Ikeda, S.R., Alternative modalities of adenovirus-mediated gene expression in hippocampal neurons cultured on microisland substrate, 221
Chiappetta, O., see Bagetta, G., 87
Chiba, C., Nakamura, K., Unno, S., Saito, T., Intraocular implantation of DNA-transfected retinal pigment epithelium cells: a new approach for analyzing molecular functions in the newt retinal regeneration, 171
Cichon, S., see Serretti, A., 269
Civitelli, D., see Annesi, G., 21
Colica, C., see Palma, E., 112
Colombo, C., see Benedetti, F., 123
Condino, F., see Annesi, G., 21
Corasaniti, M.T., see Bagetta, G., 87
Costa, A., see Bagetta, G., 87
Costa, N., see Palma, E., 112
Costes, N., see Thobois, S., 46
Craig, D., Hart, D.J., Carson, R., McIlroy, S.P., Passmore, A.P., Psychotic symptoms in Alzheimer's disease are not influenced by polymorphic variation at the dopamine receptor DRD3 gene, 33
Cristiano, D., see Palma, E., 112
Cutuli, N., see Annesi, G., 21
Cuvelier, L., see Blum, D., 309

Da Silva, R.S., see Wilot, L.C., 167
Dabouras, V., Rothermel, A., Reininger-Mack, A., Wien, S.L., Layer, P.G., Robitzki, A.A., Exogenous application of glucose induces aging in rat cerebral oligodendrocytes as revealed by alteration in telomere length, 68
Danion, F., Galléa, C., The relation between force magnitude, force steadiness, and muscle co-contraction in the thumb during precision grip, 176
Díaz López, B., see Vázquez Moreno, N., 243
Díaz Rodríguez, E., see Vázquez Moreno, N., 243
Debeljuk, L., see Vázquez Moreno, N., 243
DeFranco, D.B., see Schmidt, K.M., 135
Degen, J.L., see Tucker, H.M., 285
Delacourte, A., see Dhaenens, C.-M., 290
Devoto, A., see Esposito, M.J., 52

doi:10.1016/S0304-3940(04)01103-6

Dhaenens, C.-M., Van Brussel, E., Schraen-Maschke, S., Pasquier, F., Delacourte, A., Sablonnire, B., Association study of three polymorphisms of kinesin light-chain 1 gene with Alzheimers disease, 290
Dingfang, B., see Yinan, M., 2
Dohi, K., see Ohtaki, H., 162
Dong, Z.H., see Fu, A.L., 258
Doorenbosch, C.A.M., Harlaar, J., Accuracy of a practicable EMG to force model for knee muscles, 78
Dorul, A., Gül, H., Yıldız, O., Bilgin, F., Güzeldemir, M.E., Cannabinoids blocks tactile allodynia in diabetic mice without attenuation of its antinociceptive effect, 82
Dowdall, T., see Robinson, I., 107
Dumas, R., see Park, E., 345
Dwyer, S.M., see Bain, M.J., 7

Easley, K.A., see Kharlamov, A., 151
Ernest, A., see Basta, D., 297
Esposito, M.J., Zamboni, G., Natale, V., Lucidi, F., Devoto, A., Violani, C., Single and Sequential REM sleep episodes in humans: a phylogenetic left-over?, 52
Estus, S., see Tucker, H.M., 285
Eto, H., see Nishihara, K., 216

Fang, S., see Yinan, M., 2
Fernández Alvarez, C., see Vázquez Moreno, N., 243
Ferrari, P., see Kubota, M., 235
Ferreira, O.J., see Wilot, L.C., 167
Foniok, T., see Qiao, M., 332
Fook-Chong, S., see Lo, Y.L., 337
Fu, A.L., Li, Q., Dong, Z.H., Huang, S.J., Wang, Y.X., Sun, M.J., Alternative therapy of Alzheimer's disease via supplementation with choline acetyl transferase, 258
Fu, W.-M., Chang, T.-K., Sun, W.-Z., Ling, Q.-D., Peng, H.-C., Liou, H.-C., Lu, D.-Y., Huang, T.-F., Inhibition of neuropathic pain by a potent disintegrin—triflavin, 263
Fukuda, N., see Kockelkorn, T.T.J.P., 41

Galas, M.-C., see Blum, D., 309
Galléa, C., see Danion, F., 176
Garcia-Larrea, L., see Thobois, S., 46
Garcia-Segura, L.M., see Yague, J.G., 279
Geiger, S., see Holdenrieder, S., 201
Ginovart, N., see Thobois, S., 46
Gül, H., see Dorul, A., 82
Golanov, E.V., see Ilch, C.P., 92
Gorji, A., see Rüschenschmidt, C., 57
Gramling, M.G., see Mohmmad Abdul, H., 148
Guan, Z., see Li, C., 25
Guillouet, S., see Thobois, S., 46
Gustafsson, H., see Warsame Afrah, A., 226
Güzeldemir, M.E., see Dorul, A., 82

Haas, J., see Martínez-Torres, F.J., 274
Hacke, W., see Martínez-Torres, F.J., 274
Haga, S., see Motoi, Y., 144
Hamann, G.F., see Holdenrieder, S., 201
Han, J.-S., see Huang, C., 327
Harasawa, Y., see Inoue, M., 192
Harlaar, J., see Doorenbosch, C.A.M., 78
Hart, D.J., see Craig, D., 33
Hassoun, W., see Thobois, S., 46
Hata, T., see Kanenishi, K., 73
Hattori, H., see Motoi, Y., 144
Hattori, S., Sakuma, K., Wakutani, Y., Wada, K., Shimoda, M., Urakami, K., Kowa, H., Nakashima, K., A novel presenilin 1 mutation (Y154N) in a patient with early onset Alzheimers disease with spastic paraparesis, 319
Hauss-Wegrzyniak, B., see Mohmmad Abdul, H., 148
Heath, A.C., see Anokhin, A.P., 314
Heinemann, S.H., see Patt, S., 249
Hemming, F.J., see Blum, D., 309
Hemmings, G.P., see Wei, J., 323
Heun, R., see Klsch, H., 303
Hglund, A.U., see Abelson, K.S.P., 116
Hicks, S.D., see Schmidt, K.M., 135
Hino, O., see Kanenishi, K., 73
Hirata, K., see Susuki, K., 63
Holdenrieder, S., Lütjohann, D., Geiger, S., von Bergmann, K., Stieber, P., Hamann, G.F., Does brain specific 24*S*-hydroxycholesterol in plasma indicate the disruption of the blood–brain barrier in patients with ischemic stroke?, 201
Honda, M., see Nishihara, K., 216
Hong, S.K., see Back, S.K., 341
Honse, Y., see Chen, H., 221
Horikawa, K., Shibata, S., Phase-resetting response to (+)8-OH-DPAT, a serotonin 1A/7 receptor agonist, in the mouse in vivo, 130
Horiuchi, S., see Nishihara, K., 216
Horváth, J., Winkler, I., How the human auditory system treats repetition amongst change, 157
Hrzenjak, A., see Sovic, A., 11
Huang, C., Li, H.-T., Shi, Y.-S., Han, J.-S., Wan, Y., Ketamine potentiates the effect of electroacupuncture on mechanical allodynia in a rat model of neuropathic pain, 327
Huang, S.J., see Fu, A.L., 258
Huang, T.-F., see Fu, W.-M., 263

Iannone, M., see Bagetta, G., 87
Ikeda, K., see Motoi, Y., 144
Ikeda, S.R., see Chen, H., 221
Ilch, C.P., Golanov, E.V., Cerebrovasodilation evoked by stimulation of subthalamic vasodilator area and hypoxia depends upon the integrity of cortical neurons in the rat, 92
Imbe, H., Abe, T., Okamoto, K., Sato, M., Ito, H., Kumabe, S., Senba, E., Increase of galanin-like immunoreactivity in rat hypothalamic arcuate neurons after peripheral nerve injury, 102
Inoue, M., Harasawa, Y., Yamamura, K., Ariyasinghe, S., Yamada, Y., Effects of food consistency on the pattern of extrinsic tongue muscle activities during mastication in freely moving rabbits, 192
Itaya, M., see Motoi, Y., 144
Ito, H., see Imbe, H., 102
Itokawa, M., see Kockelkorn, T.T.J.P., 41
Iwasaki, T., see Motoi, Y., 144

Jiang, Y.-W., see Ni, H., 254
Jianhui, Z., see Yinan, M., 2
Jianjun, L., see Yinan, M., 2
Johnson, S., see Summers, J., 197
Jones, S.C., see Kharlamov, A., 151

Kaji, R., see Nishimura, M., 140
Kalff, R., see Patt, S., 249
Kanenishi, K., Ueno, M., Momose, S., Kuwabara, H., Tanaka, H., Sato, C., Kobayashi, T., Hino, O., Sakamoto, H., Hata, T., Prepro-orexin mRNA expression in the rat brain is increased during pregnancy, 73
Kawakami, H., see Nishimura, M., 140
Kehm, R., see Martínez-Torres, F.J., 274
Kerksiek, A., see Klsch, H., 303
Kerokoski, P., Suuronen, T., Salminen, A., Soininen, H., Pirttilä, T., Both *N*-methyl-d-aspartate (NMDA) and non-NMDA receptors mediate glutamate-induced cleavage of the cyclin-dependent kinase 5 (cdk5) activator p35 in cultured rat hippocampal neurons, 181
Kharlamov, A., Brown, B.R., Easley, K.A., Jones, S.C., Heterogeneous response of cerebral blood flow to hypotension demonstrated by laser speckle imaging flowmetry in rats, 151
Khling, R., see Rüschenschmidt, C., 57
Kihiko-Ehmann, M., see Tucker, H.M., 285

Klsch, H., Heun, R., Kerksiek, A., Bergmann, K.v., Maier, W., Lütjohann, D., Altered levels of plasma 24S- and 27-hydroxycholesterol in demented patients, 303
Kobayashi, T., see Kanenishi, K., 73
Kockelkorn, T.T.J.P., Arai, M., Matsumoto, H., Fukuda, N., Yamada, K., Minabe, Y., Toyota, T., Ujike, H., Sora, I., Mori, N., Yoshikawa, T., Itokawa, M., Association study of polymorphisms in the 5′ upstream region of human *DISC1* gene with schizophrenia, 41
Koga, M., see Susuki, K., 63
Kommalage, M., see Abelson, K.S.P., 116
Korhonen, T., see Astikainen, P., 231
Kosobud, A.E.K., see Wood, D.A., 29
Kowa, H., see Hattori, S., 319
Kraft, R., see Patt, S., 249
Kubota, M., Ferrari, P., Roberts, T.P.L., Human neuronal encoding of English syntactic violations as revealed by both L1 and L2 speakers, 235
Kudo, Y., see Ohtaki, H., 162
Kumabe, S., see Imbe, H., 102
Kuwabara, H., see Kanenishi, K., 73

Lavaque, E., see Yague, J.G., 279
Lavenne, F., see Thobois, S., 46
Layer, P.G., see Dabouras, V., 68
Le Cavorsin, M., see Thobois, S., 46
Lenox, R.H., see McNamara, R.K., 293
Leviel, V., see Thobois, S., 46
Li, H.-T., see Huang, C., 327
Li, Q., see Fu, A.L., 258
Li, C., Guan, Z., Chan, Y., Zheng, Y., Projections from facial nucleus interneurons to the respiratory groups of brainstem in the rat, 25
Lie, H., see Yinan, M., 2
Ling, Q.-D., see Fu, W.-M., 263
Liou, H.-C., see Fu, W.-M., 263
Liping, Z., see Yinan, M., 2
Lo, Y.L., Fook-Chong, S., A transcranial magnetic stimulation study of the ipsilateral silent period in lower limb muscles, 337
Lorenzi, C., see Benedetti, F., 123
Lorenzi, C., see Serretti, A., 269
Lütjohann, D., see Holdenrieder, S., 201
Lütjohann, D., see Klsch, H., 303
Lu, D.-Y., see Fu, W.-M., 263
Lucidi, F., see Esposito, M.J., 52

Maier, W., see Klsch, H., 303
Makino, R., see Ohtaki, H., 162
Malle, E., see Sovic, A., 11
Mancuso, E., see Palma, E., 112
Mandelli, L., see Serretti, A., 269
Marco, E.V.D., see Annesi, G., 21
Martínez-Torres, F.J., Wagner, S., Haas, J., Kehm, R., Sellner, J., Hacke, W., Meyding-Lamadé, U., Increased presence of matrix metalloproteinases 2 and 9 in short- and long-term experimental herpes simplex virus encephalitis, 274
Matsumoto, H., see Kockelkorn, T.T.J.P., 41
McGillis, J.P., see Tucker, H.M., 285
McIlroy, S.P., see Craig, D., 33
McNamara, R.K., Lenox, R.H., Acute restraint stress reduces protein kinase Cγ in the hippocampus of C57BL/6 but not DBA/2 mice, 293
Meert, T.F., see Robinson, I., 107
Meng, S., see Qiao, M., 332
Meyding-Lamadé, U., see Martínez-Torres, F.J., 274
Mies, G., see Schneeloch, E., 37
Minabe, Y., see Kockelkorn, T.T.J.P., 41
Mizuno, Y., see Motoi, Y., 144
Mohmmad Abdul, H., Wenk, G.L., Gramling, M.G., Hauss-Wegrzyniak, B., Butterfield, D.A., APP and PS-1 mutations induce brain oxidative stress independent of dietary cholesterol: implications for Alzheimer's disease, 148
Mollace, V., see Palma, E., 112
Momose, S., see Kanenishi, K., 73
Morgante, L., see Annesi, G., 21
Mori, H., see Motoi, Y., 144
Mori, I., see Susuki, K., 63
Mori, N., see Kockelkorn, T.T.J.P., 41
Motoi, Y., Itaya, M., Mori, H., Mizuno, Y., Iwasaki, T., Hattori, H., Haga, S., Ikeda, K., Apolipoprotein E receptor 2 is involved in neuritic plaque formation in APP sw mice, 144
Murthy, C.R.K., see Reddy, P.V.B., 15
Muscoli, C., see Palma, E., 112
Myers, E., see Anokhin, A.P., 314

Na, H.S., see Back, S.K., 341
Nagashima, T., see Susuki, K., 63
Nakamachi, T., see Ohtaki, H., 162
Nakamura, K., see Chiba, C., 171
Nakashima, K., see Hattori, S., 319
Nappi, G., see Bagetta, G., 87
Natale, V., see Esposito, M.J., 52
Ni, H., Jiang, Y.-W., Bo, T., Wang, J.-M., Pan, H., Wu, X.-R., Long-term effects of neonatal seizures on subsequent *N*-methyl-D-aspartate receptor-1 and gamma-aminobutyric acid receptor A-α1 receptor expression in hippocampus of the Wistar rat, 254
Nicoletti, G., see Annesi, G., 21
Nishihara, K., Horiuchi, S., Eto, H., Uchida, S., Honda, M., Delta and theta power spectra of night sleep EEG are higher in breast-feeding mothers than in non-pregnant women, 216
Nishimoto, Y., see Susuki, K., 63
Nishimura, M., Sakamoto, T., Kaji, R., Kawakami, H., Influence of polymorphisms in the genes for cytokines and glutathione S-transferase omega on sporadic Alzheimer's disease, 140
Nöthen, M.M., see Serretti, A., 269

Oberoi, G., see Summers, J., 197
Ohlraun, S., see Serretti, A., 269
Ohtaki, H., Yin, L., Nakamachi, T., Dohi, K., Kudo, Y., Makino, R., Shioda, S., Expression of tumor necrosis factor α in nerve fibers and oligodendrocytes after transient focal ischemia in mice, 162
Okamoto, K., see Imbe, H., 102
Olgart, L., see Warsame Afrah, A., 226
Olkowicz, S., Bartkowska, K., Rychlik, L., Turlejski, K., Apparent scarcity of glial fibrillary acidic protein expression in the brain of the pygmy shrew *Sorex minutus* as revealed by immunocytochemistry, 205

Palma, E., Muscoli, C., Mancuso, E., Sculco, F., Sacco, I., Alecce, W., Costa, N., Colica, C., Cristiano, D., Rotiroti, D., Mollace, V., The role of nitrinergic connections in central cardiovascular responses mediated by physostigmine infused into posterior hypothalamus, 112
Pan, H., see Ni, H., 254
Pan, H.-L., see Wu, Z.-Z., 96
Panzenboeck, U., see Sovic, A., 11
Park, E., Dumas, R., Schuller-Levis, G., Rabe, A., Exposure to alcohol on E9 raises poststress corticosterone in mature but not old mice, 345
Paschen, W., see Schneeloch, E., 37
Pascual, J.M., Fever, molecular excitability and epilepsy, 1
Pasquier, F., see Dhaenens, C.-M., 290
Passmore, A.P., see Craig, D., 33
Patt, S., Preußat, K., Beetz, C., Kraft, R., Schrey, M., Kalff, R., Schnherr, K., Heinemann, S.H., Expression of *ether à go-go* potassium channels in human gliomas, 249
Peng, H.-C., see Fu, W.-M., 263
Pirttilä, T., see Kerokoski, P., 181
Preußat, K., see Patt, S., 249
Pérez, M., Schachter, J., Quesada-Allué, L.A., Constitutive activity of *N*-β-alanyl-catecholamine ligase in insect brain, 186
Pridmore, S., see Summers, J., 197

Pugliese, P., see Annesi, G., 21

Qiao, M., Meng, S., Scobie, K., Foniok, T., Tuor, U.I., Magnetic resonance imaging of differential gray versus white matter injury following a mild or moderate hypoxic-ischemic insult in neonatal rats, 332
Qing, L., see Yinan, M., 2
Quattrone, A., see Annesi, G., 21
Quesada-Allué, L.A., see Pérez, M., 186

Rabe, A., see Park, E., 345
Rebec, G.V., see Wood, D.A., 29
Reddanna, P., see Reddy, P.V.B., 15
Reddy, P.V.B., Murthy, C.R.K., Reddanna, P., Fulminant hepatic failure induced oxidative stress in nonsynaptic mitochondria of cerebral cortex in rats, 15
Reicher, H., see Sovic, A., 11
Reininger-Mack, A., see Dabouras, V., 68
Repine, M.J., see Schmidt, K.M., 135
Rietschel, M., see Serretti, A., 269
Roberts, T.P.L., see Kubota, M., 235
Robinson, I., Dowdall, T., Meert, T.F., Development of neuropathic pain is affected by bedding texture in two models of peripheral nerve injury in rats, 107
Robitzki, A.A., see Dabouras, V., 68
Rocha, E., see Wilot, L.C., 167
Romeo, N., see Annesi, G., 21
Rothermel, A., see Dabouras, V., 68
Rotiroti, D., see Bagetta, G., 87
Rotiroti, D., see Palma, E., 112
Rüschenschmidt, C., Straub, H., Köhling, R., Siep, E., Gorji, A., Speckmann, E.-J., Reduction of human neocortical and guinea pig CA1-neuron A-type currents by organic calcium channel blockers, 57
Rusak, B., see Bain, M.J., 7
Ruusuvirta, T., see Astikainen, P., 231
Rychlik, L., see Olkowicz, S., 205

Sablonnire, B., see Dhaenens, C.-M., 290
Sacco, I., see Palma, E., 112
Sadoul, R., see Blum, D., 309
Saito, T., see Chiba, C., 171
Sakamoto, H., see Kanenishi, K., 73
Sakamoto, T., see Nishimura, M., 140
Sakuma, K., see Hattori, S., 319
Salminen, A., see Kerokoski, P., 181
Sarkis, J.J.F., see Wilot, L.C., 167
Sato, C., see Kanenishi, K., 73
Sato, M., see Imbe, H., 102
Sattler, W., see Sovic, A., 11
Schachter, J., see Pérez, M., 186
Schiffmann, S.N., see Blum, D., 309
Schmidt, K.M., Repine, M.J., Hicks, S.D., DeFranco, D.B., Callaway, C.W., Regional changes in glial cell line-derived neurotrophic factor after cardiac arrest and hypothermia in rats, 135
Schneeloch, E., Wenkel, S., Mies, G., Paschen, W., Spreading depression activates unfolded protein response, 37
Schnherr, K., see Patt, S., 249
Schraen-Maschke, S., see Dhaenens, C.-M., 290
Schrey, M., see Patt, S., 249
Schuller-Levis, G., see Park, E., 345
Schumacher, J., see Serretti, A., 269
Scobie, K., see Qiao, M., 332
Sculco, F., see Palma, E., 112
Sellner, J., see Martínez-Torres, F.J., 274
Senba, E., see Imbe, H., 102
Serretti, A., Lorenzi, C., Mandelli, L., Cichon, S., Schumacher, J., Nöthen, M.M., Rietschel, M., Tullius, M., Ohlraun, S., DRD4 exon 3 variants are not associated with symptomatology of major psychoses in a German population, 269
Serretti, A., see Benedetti, F., 123
Shi, Y.-S., see Huang, C., 327
Shibata, S., see Horikawa, K., 130
Shimoda, M., see Hattori, S., 319
Shioda, S., see Ohtaki, H., 162
Siep, E., see Rüschenschmidt, C., 57
Simpson, J., see Tucker, H.M., 285
Smeraldi, E., see Benedetti, F., 123
Soininen, H., see Kerokoski, P., 181
Sora, I., see Kockelkorn, T.T.J.P., 41
Sovic, A., Balazs, Z., Hrzenjak, A., Reicher, H., Panzenboeck, U., Malle, E., Sattler, W., Scavenger receptor class B, type I mediates uptake of lipoprotein-associated phosphatidylcholine by primary porcine cerebrovascular endothelial cells, 11
Spadafora, P., see Annesi, G., 21
Speckmann, E.-J., see Rüschenschmidt, C., 57
Stieber, P., see Holdenrieder, S., 201
Stiller, C.-O., see Warsame Afrah, A., 226
Straub, H., see Rüschenschmidt, C., 57
Summers, J., Johnson, S., Pridmore, S., Oberoi, G., Changes to cold detection and pain thresholds following low and high frequency transcranial magnetic stimulation of the motor cortex, 197
Sun, M.J., see Fu, A.L., 258
Sun, W.-Z., see Fu, W.-M., 263
Susuki, K., Nishimoto, Y., Koga, M., Nagashima, T., Mori, I., Hirata, K., Yuki, N., Various immunization protocols for an acute motor axonal neuropathy rabbit model compared, 63
Suuronen, T., see Kerokoski, P., 181

Tanaka, H., see Kanenishi, K., 73
Taniguchi, K., see Yamamoto, Y., 127
Tarantino, P., see Annesi, G., 21
Taylor, B.K., see Warsame Afrah, A., 226
Thobois, S., Hassoun, W., Ginovart, N., Garcia-Larrea, L., Le Cavorsin, M., Guillouet, S., Bonnefoi, F., Costes, N., Lavenne, F., Broussolle, E., Leviel, V., Effect of sensory stimulus on striatal dopamine release in humans and cats: a [11C]raclopride PET study, 46
Torch, S., see Blum, D., 309
Toyota, T., see Kockelkorn, T.T.J.P., 41
Tubazio, V., see Benedetti, F., 123
Tucker, H.M., Simpson, J., Kihiko-Ehmann, M., Younkin, L.H., McGillis, J.P., Younkin, S.G., Degen, J.L., Estus, S., Plasmin deficiency does not alter endogenous murine amyloid beta levels in mice, 285
Tullius, M., see Serretti, A., 269
Tuor, U.I., see Qiao, M., 332
Turlejski, K., see Olkowicz, S., 205

Uchida, S., see Nishihara, K., 216
Ueno, M., see Kanenishi, K., 73
Ujike, H., see Kockelkorn, T.T.J.P., 41
Unno, S., see Chiba, C., 171
Urakami, K., see Hattori, S., 319

Van Brussel, E., see Dhaenens, C.-M., 290
Vázquez Moreno, N., Debeljuk, L., Díaz Rodríguez, E., Fernández Alvarez, C., Díaz López, B., Influence of maternal pineal gland on the developmental pattern of neurokinin A (NKA) and substance P (SP) in male-rat-offspring: relationship to the season of the year, 243
Violani, C., see Esposito, M.J., 52
von Bergmann, K., see Holdenrieder, S., 201

Wada, K., see Hattori, S., 319
Wagner, S., see Martínez-Torres, F.J., 274
Wakutani, Y., see Hattori, S., 319
Wan, Y., see Huang, C., 327
Wang, J.-M., see Ni, H., 254
Wang, Y.X., see Fu, A.L., 258

Warsame Afrah, A., Gustafsson, H., Olgart, L., Brodin, E., Stiller, C.-O., Taylor, B.K., Capsaicin-evoked substance P release in rat dorsal horn increases after peripheral inflammation: a microdialysis study, 226
Wei, J., Hemmings, G.P., The KPNB3 locus is associated with schizophrenia, 323
Wenk, G.L., see Mohmmad Abdul, H., 148
Wenkel, S., see Schneeloch, E., 37
Wien, S.L., see Dabouras, V., 68
Wikgren, J., see Astikainen, P., 231
Wilot, L.C., Da Silva, R.S., Ferreira, O.J., Bonan, C.D., Sarkis, J.J.F., Rocha, E., Battastini, A.M.O., Chronic treatment with lithium increases the ecto-nucleotidase activities in rat hippocampal synatosomes, 167
Winkler, I., see Horváth, J., 157
Won, S.Y., see Back, S.K., 341
Wood, D.A., Kosobud, A.E.K., Rebec, G.V., Nucleus accumbens single-unit activity in freely behaving male rats during approach to novel and non-novel estrus, 29
Wu, X.-R., see Ni, H., 254
Wu, Z.-Z., Pan, H.-L., High voltage-activated Ca^{2+} channel currents in isolectin B_4-positive and -negative small dorsal root ganglion neurons of rats, 96

Xiru, W., see Yinan, M., 2

Yague, J.G., Lavaque, E., Carretero, J., Azcoitia, I., Garcia-Segura, L.M., Aromatase, the enzyme responsible for estrogen biosynthesis, is expressed by human and rat glioblastomas, 279
Yamada, K., see Kockelkorn, T.T.J.P., 41
Yamada, Y., see Inoue, M., 192
Yamamoto, Y., Taniguchi, K., Distribution of pH regulators in the rat laryngeal nerve: the spatial relationship between Na^+/HCO_3^- cotransporters and Na^+/H^+ exchanger type 3, 127
Yamamura, K., see Inoue, M., 192
Yin, L., see Ohtaki, H., 162
Yinan, M., Yu, Q., Zhiyue, C., Jianjun, L., Lie, H., Liping, Z., Jianhui, Z., Fang, S., Dingfang, B., Qing, L., Xiru, W., Polymorphisms of casein kinase I gamma 2 gene associated with simple febrile seizures in Chinese Han population, 2
Yıldız, O., see Dorul, A., 82
Yoshikawa, T., see Kockelkorn, T.T.J.P., 41
Younkin, L.H., see Tucker, H.M., 285
Younkin, S.G., see Tucker, H.M., 285
Yu, Q., see Yinan, M., 2
Yuki, N., see Susuki, K., 63

Zamboni, G., see Esposito, M.J., 52
Zappia, M., see Annesi, G., 21
Zheng, Y., see Li, C., 25
Zhiyue, C., see Yinan, M., 2